Field Measurement of the Effects of Foam and Roughness on Microwave Emissivity

William E. Asher Applied Physics Laboratory, University of Washington 1013 NE 40th Street Seattle, WA 98105

phone: (206) 543-5942 facsimile: (206) 543-6785 email: asher@apl.washington.edu

Award Number: N00014-00-1-0152 http://www.apl.washington.edu

LONG-TERM GOALS

The development of more accurate wind vector retrieval algorithms for use with satellite-borne polarimetric microwave radiometers that correctly account for the effects of ocean surface foam on microwave emissivity.

OBJECTIVES

Characterize the polarimetric microwave properties of foam on the ocean surface and characterize the properties of the foam in terms of its temporal and spatial evolution on the sea surface, its bubble size spectra, its void fraction, and its thickness.

APPROACH

Satellite-mounted polarimetric microwave radiometers such as WindSat could provide an effective method for remote measurement of the ocean surface wind vector. Accurate retrieval of the wind vector from microwave brightness temperature, especially at high wind speeds, requires that the emissivity of foam is known. In collaboration with Drs. P. Gaiser, K. St. Germain, and A. Rose from the Naval Research Laboratory in Washington D.C. and Prof. S. Reising from the University of Massachusetts we have made the first detailed measurements of the microwave polarimetric properties of a foam-covered water surface. Our first experiment was a detailed series of measurements of the polarimetric microwave emissivities of a stable, beam-filling patch of foam generated by a specially constructed foam generator. These measurements, conducted from a pier at the Naval Research Laboratory, Chesapeake Bay Detachment (CBD) in May, 2000, have shown that the microwave emissivity of foam is significantly less that unity [Rose et al., 2001], which contradicts the common assumption that foam behaves as a blackbody at microwave frequencies. In addition, the microwave emissivity of a wind-roughened ocean surface was measured as a function of both foam coverage and azimuthal angle with respect to the wind vector. These measurements were made as part of the Fluxes, Air-sea Interaction and Remote Sensing (FAIRS) experiment conducted in September and October of 2000 aboard the R/P FLIP. Data from both these experiments are currently being used by Prof. L. Tsang and co-workers at the University of Washington in modeling the electromagnetic properties of foam at microwave frequencies.

maintaining the data needed, and c including suggestions for reducing	lection of information is estimated to completing and reviewing the collection this burden, to Washington Headquuld be aware that notwithstanding and DMB control number.	ion of information. Send comments arters Services, Directorate for Info	regarding this burden estimate rmation Operations and Reports	or any other aspect of th , 1215 Jefferson Davis	is collection of information, Highway, Suite 1204, Arlington	
1. REPORT DATE 30 SEP 2001		2. REPORT TYPE		3. DATES COVERED 00-00-2001 to 00-00-2001		
4. TITLE AND SUBTITLE				5a. CONTRACT NUMBER		
Field Measurement of the Effects of Foam and Roughness on Microwave Emissivity				5b. GRANT NUMBER		
Linissivity				5c. PROGRAM ELEMENT NUMBER		
6. AUTHOR(S)				5d. PROJECT NUMBER		
				5e. TASK NUMBER		
				5f. WORK UNIT NUMBER		
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Applied Physics Laboratory, University of Washington,,1013 NE 40th Street,,Seattle,,WA, 98105 8. PERFORMING ORGANIZATION REPORT NUMBER						
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)				10. SPONSOR/MONITOR'S ACRONYM(S)		
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)		
12. DISTRIBUTION/AVAIL Approved for publ	LABILITY STATEMENT ic release; distributi	ion unlimited				
13. SUPPLEMENTARY NOTES						
_	of more accurate wir wave radiometers the ity.		_			
15. SUBJECT TERMS			1		I	
16. SECURITY CLASSIFIC	17. LIMITATION OF ABSTRACT	18. NUMBER OF PAGES	19a. NAME OF RESPONSIBLE PERSON			
a. REPORT unclassified	b. ABSTRACT unclassified	c. THIS PAGE unclassified	Same as Report (SAR)	8		

Report Documentation Page

Form Approved OMB No. 0704-0188 During FAIRS, the Naval Research Laboratory deployed a polarimetric radiometer operating at a frequency of 10.8 GHz and the University of Massachusetts deployed a 36.5 GHz polarimetric radiometer. As shown in Figure 1, both radiometers were mounted on the port-side boom approximately 8 m above the water surface and could be scanned azimuthally with respect to the wind direction over the azimuthal angle range 160°-360°-10° (where 360°(0°) is upwind). During the FAIRS experiment, sea-surface video images were recorded using a camera bore-sighted with the microwave radiometers. These images were analyzed to give the average fractional area foam coverage for the naturally occurring whitecaps during the FAIRS experiment. In addition, image sequences of individual large-scale breaking waves were also acquired to allow investigation of the time-evolving structure of a whitecap and how that structure affected the scene brightness temperature.




Figure 1. The radiometers and video camera deployed from the port boom of the R/P FLIP during FAIRS. The left-hand image shows the location of the instruments on the boom. The right-hand diagram shows the range of azimuthal angles scanned.

The experiment conducted at CBD was designed to provide a high-quality data set of microwave polarimetric emissivities for use in testing electromagnetic models of the emissivity of foam. This was achieved by generating a beam-filling patch of foam with temporally invariant properties. The foam patch was produced by blowing compressed air through a grid of gas permeable tubing mounted to an aluminum frame suspended just below the water surface (i.e., a foam raft). Both radiometers used during the FAIRS experiment were also deployed during the CBD measurements, except they were mounted to a man-lift crane so that they could view the foam at varying incidence angles and maintain the same slant-range (see Figure 2). Video images of the foam patch were used to verify that the foam was beam-filling. In addition, the bubble size spectra of the foam, the foam void fraction, and the foam thickness were measured using an underwater video camera.




Figure 2. Schematic diagram and photograph of the CBD radiometry experiment showing crane used to mount the radiometers and the foam raft that generated the stable patch of foam on the water surface.

WORK COMPLETED

We have completed analysis of the underwater video images from the CBD experiment. These analyses have provided the size-segregated bubble densities in the foam (number of bubbles or a given radius per unit volume of foam) (see Figure 3) and the average bubble void fraction (see Figure 4).




Figure 3. Bubble concentrations measured in the foam generated by the foam raft during the CBD measurements.




Figure 4. Void fraction measured in the foam generated by the foam raft during the CBD measurements. Data is shown as a frequency distribution of the observed values (i.e., approximately 50% of the data show a foam void fraction between 80% and 85%).

We have completed the analysis of the CBD data and are in the process of preparing a peer-reviewed paper discussing the results. Included in these data are the first reported measurements of the polarimetric emissivites of a foam-covered water surface (see Figure 5). The CBD data are also being used by Prof. Tsang's group for modeling the microwave emissivity of foam on a water surface.

We have completed the analysis of the ocean surface video images acquired during the FAIRS experiment. Images have been analyzed to give both average fractional area coverage as a function of wind speed and to give information on the time evolution of foam coverage for large-scale breaking waves (see Figure 6).

RESULTS

The data from the CBD measurements demonstrate that the polarimetric emissivity of foam at microwave frequencies is significantly less than one (see Figure 5). This contradicts the assumption that sea surface foam behaves as a blackbody at microwave frequencies. These are the first direct measurements of the polarimetric emissivities of foam at microwave frequencies.




Figure 5. Seawater foam emissivity for left and right circular polarizations as measured at 10.8 GHz plotted as a function of incidence angle. Measurements were made for beam-filling foam during the NRL-CBD experiments.

The analysis of the time series of fractional area foam coverage from the FAIRS experiment has shown that the emissivity of the foam patch generated by a breaking wave is not constant over the life of whitecap. Figure 6 shows a time series of signal voltage for both V and H polarizations from the 10.8 GHz radiometer (signal voltage is proportional to brightness temperature) plotted with the corresponding time series for foam coverage, W_C , in the radiometer field of view determined from a video image sequence of the breaking wave. Note that at 2 s the breaking wave foam patch is beam filling (i.e., $W_C = 1.0$) corresponding to a local maximum in the brightness temperature. However, several seconds later the foam coverage has decreased to $W_C = 0.6$, yet the brightness temperature is higher than for the beam-filling foam. The data show that foam brightness temperatures, and therefore emissivities, are a function of the age of the foam in the plume.




Figure 6. A time series of radiometer signal voltages from the 10.8 GHz radiometer measured during the FAIRS experiment. Also shown in the figure is a time series of fractional area foam coverage as determined from a collocated video image sequence.

The whitecap coverage data resulting from the FAIRS experiment provides further evidence that fractional area whitecap coverage scales as the cube of wind speed (see Figure 7).




Figure 7. The cube root of fractional area whitecap coverage determined from sea surface video images taken during the FAIRS experiment plotted versus wind speed as suggested by Monahan [1993]. Also shown for reference are whitecap coverage data recorded in the N. Atlantic during the GASEX-98 experiment.

IMPACT/IMPLICATION

The detailed measurements of the foam structure on the water surface will be useful in modeling the emissivity of foam. Some of the results from the initial data analysis of the foam structure have already been used in a model for predicting the microwave emissivity of foam developed by Prof. L. Tsang and co-workers at the Department of Electrical Engineering, University of Washington. The emissivity data shown in Figure 5 will be of great use in further validating this model.

The data from the FAIRS experiment will be useful in determining the sea surface emissivity over a variety of wind-wave conditions. The availability of whitecap coverage along with the azimuthal scans performed by the NRL and University of Massachusetts research teams will be used in developing models for validating microwave polarimetric satellite instruments.

REFERENCES

Monahan, E.C., "Occurrence and evolution of acoustically relevant sub-surface bubble plumes and their associated, remotely monitorable, surface whitecaps," in *Natural Physical Sources of Underwater Sound*, edited by B.R. Kerman, pp. 503-517, Kluwer Academic Publishers, Norwell, 1993.

Rose, L. A., P. W. Gaiser, K. M. St. Germain, D. J. Dowgiallo, W. E. Asher, S. C. Reising, K. A. Horgan, E. J. Knapp, G. Farquharson, "Radiometric measurements of the microwave emissivity of foam," Proceedings of the IEEE International Geoscience and Remote Sensing Symposium, Sydney, Australia, July 2001.

PUBLICATIONS

Guo, J., L. Tsang, W. Asher, K.-H. Ding, and C.-T. Chen, 2001. "Applications of Dense Media Radiative Transfer Theory for Passive Microwave Remote Sensing of Foam Covered Ocean," *IEEE Trans. Geosci. Rem. Sens.*, **39**, 1019-1027.

Reising, S. C., K. A. Horgan, E. J. Knapp, L. A. Rose, P. W. Gaiser, K. M. St. Germain, D. J. Dowgiallo, W. E. Asher, "Passive polarimetric measurements of the effects of foam and roughness on microwave emissivity," IEEE International Geoscience and Remote Sensing Symposium, Sydney, Australia, July 2001.

Rose, L. A., P. W. Gaiser, K. M. St. Germain, D. J. Dowgiallo, W. E. Asher, S. C. Reising, K. A. Horgan, E. J. Knapp, G. Farquharson, "Radiometric measurements of the microwave emissivity of foam," Proceedings of the IEEE International Geoscience and Remote Sensing Symposium, Sydney, Australia, July 2001.

Reising, S. C., K. A. Horgan, G. Farquharson, E. J. Knapp, P. W. Gaiser, K. M. St. Germain, L. A. Rose, D. J. Dowgiallo, and W. E. Asher, "Radiometric measurements of the microwave emissivity of foam," Paper F5-4, 2001 National Radio Science Meeting, Boulder, Colorado, January 2001.